```
AN 1997-513517 [48] WPIDS
DNC 01997-154017
TI Preparation of granule of bifidobacterium,
 lactobacillus and lactostreptococcus.
   304 016
IN HUANG, D; XIE, D; YAN, I
    (HUNA-N HUNAN COLLEGE TRADITIONAL CHINESE MEDICI
F:A
CYC 1
FI CM---11.34773 A 19960619 (199748)*
                                            C12N-001-20
ADT CH---11.4773 A 1994CN-0113175 19941212
PRAI 1994CN-0113175 19941212
IC ICM 01.0N-001-20
    ICS A61K-035-74
   ON 11.14773 A UPAB: 19971209
АЗ
    A fixed enteric microparticles are prepared as a
    symbiot.c culture of the stage-2 seeds of Bifidobacterium
    , Lactobacillus and Streptococcus acidi lactici at 30-40
    \deg . \mathbb C for 40-50 hours in a modified milk medium in an anaerobic
    cylinder to obtain a mixed bacterial liquid. This was followed by
    granulating with an edible enteric coating
    ament and a fixing agent, an enrichment culture and low-temperature
    vacuum-drying.
        ADVANTAGE - Gastric acid has no effect on the granule. The
    method provides raw material saving, high curative effect and low
    aust.
   CFI
FS
FA
    AE
```

MC

CPI: B04-F10B; B12-M11E; D05-H04